

FR701® 2100

Panel
Acoustic



Eggshell
144



Wheat
130



Bone
748



Buff
460



Straw
747



Quartz
380



Pearl
481



Desert Sand
758



Apricot Neutral
404



Pumice
423



Sunshine
797



Light Moss
754



Earth
792



Moleskin
796



Chocolate
793



Dune
749



Leaf
755



Stream
757



Aquamarine
381



Blue Spruce
467



Verte Papier
561



Coin
794



Blue Papier
539



Blue Neutral
401



Crystal Blue
175



White
224



Opal
394



Silver Papier
538



Silver Neutral
406



Cement Mix
750



Vanilla Neutral
403



Terra
751



Cherry Neutral
400



Cinnabar
422



Rose Quartz
390



Bronze
545



Sienna
475



Red
799




Claret Accent
418



Deep Burgundy
556



Lavender Neutral
405



Lilac
752



Violet
753



Amethyst
424




Iris
798



Eucalyptus
468



Green Neutral
402



Lake
756



Chrome Green
549



Ultramarine
470



Bayberry
486



Wedgewood
150



Cobalt
420



Baltic
153



Blue Plum
553



Steel Grey
471



Grey Mix
238



Flannel
795



Medium Grey
298



Black
408

FR701® 2100

Panel
Acoustic

Specifications

Content

100% post-consumer recycled polyester

Weight

16.0 ± 0.5 oz./lin. yd.

Width

66" min. useable

Repeat

none

Cleaning Code

Standard Care Label W-S. Clean with water based cleaning agents, foam or pure, water free solvents. Vacuuming or light brushing is recommended to prevent dust and soil buildup.

Performance



Colorfastness to Light (AATCC 16 Option 3)

Grade 4 min. at 40 hours



Colorfastness to Crocking (AATCC 8)

Grade 4 min. dry & Grade 3 min. wet



Breaking Strength (ASTM D5034)

150 lbf min. warp and fill




Flammability (ASTM E84)

Class I or A

Acoustical Performance

The plot below summarizes impedance tube measurements of absorption of an anechoic termination and various fabrics in front of the anechoic termination.



NRC of anechoic termination
1.00

NRC of fabric in front of anechoic termination
.95

Miscellaneous

Application testing of this product is recommended. Colors may vary between dye lots. This is a non-directional fabric.

Proudly woven in the USA supporting our local communities.

Visit guilfordofmaine.com for samples.



Terratex is a registered trademark of True Textiles, Inc. and designates fabrics that are made from 100% recycled or compostable material using increasingly sustainable manufacturing practices to produce a high quality product that is recyclable at the end of its useful life.



CO₂ emissions from 100% of the electricity used by the manufacturer to produce this product have been measured and offset in accordance with The CarbonNeutral Protocol.



This pattern is included in the underwriters laboratory panel fabric recognition program. Additional testing of this U.L. recognized component fabric is not required on approved panels from participating manufacturers.

*ACT® registered certification marks.

Guilford of Maine

guilfordofmaine.com

800 544 0200 Customer Care
616 554 2255 Fax

07/14